

Notice of Allowability

Application No.

10/505,140

Applicant(s)

ZENTGRAF, PETER

Examiner

CUONG H. NGUYEN

Art Unit

3661

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed on 5/19/06.
2. ☒ The allowed claim(s) is/are 1-2, 4-7, 10, 13-14; they are renumbered as claims 1-9. Formal drawings are accepted.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
- ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
- ☐ Examiner's Amendment/Comment
- ☒ Examiner's Statement of Reasons for Allowance
- ☐ Other _____

CUONG H. NGUYEN
Primary Examiner
Art Unit: 3661

DETAILED ACTION

1. This Office Action is the answer to the amendment of applicant's representative filed on 5/24/06.

2. Claims 1-2, 4-7, 10, and 13-14 are pending.

Drawings

3. This application contains 13 sheets of formal drawings filed on 8/19/04, and they are accepted by the examiner.

Allowable Subject Matter and Reason for Allowance

4. Independent claims 1, 10, and 13-14 are allowable over closest available prior art of Snell, in view of Madhani et al., and Ocampo et al., because these references do not disclose a method, system, or a medium that generates balancing thrust demands in a spacecraft, comprising:

- applying a predetermined combination of null space vectors to balance the various thrust demands to permit each of the thrusters to operate in accordance with predetermined constraints.

It would not be obvious to a person skilled in the field of thrust vectoring for the control of spacecraft to look to the field of control of robotic medical apparatus to find a solution to the problem addressed by the present application; i.e., the difficulty that the constraints applicable to the cited art cannot be satisfied for high control demands with respect to the ideal maximal thrust which can be generated from the thrusters in a spacecraft.

5. Claims 2, and 4-7 are allowable because they are dependent on allowed claim 1.

Conclusion


6. Pending claims are patentable.

Claims 10, 13-14 are renumbered as claims 8, 3, and 9, in that order.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to CUONG H. NGUYEN whose telephone number is 571-272-6759. The examiner can normally be reached on 9:00 am - 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, THOMAS G. BLACK can be reached on 571-272-6956. The Rightfax number for the examiner where this application is assigned is 571-273-6759.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


CUONG H. NGUYEN
Primary Examiner
Art Unit 3661